ASTHMA TRIGGERS

Triggers are things that make your asthma worse. Some triggers are things you are allergic to and some just irritate your airways. You can reduce how often your asthma flares up by reducing exposure to your triggers.

TRIGGERS



TOBACCO SMOKE

Tobacco smoke can make asthma worse.



COLDS, FLU, & BRONCHITIS

When you're sick, your asthma is more likely to flare up.



DUST MITES

Tiny spider-like mites live in cloth, carpet, and bedding and are too small to see with the naked eye.



POLLEN & OUTDOOR AIR POLLUTION

Some people are allergic to molds or pollen from trees, grass, and weeds.



ANIMALS

Some people are allergic to skin flakes (dander), urine, or saliva from animals and birds.



MICE, RATS, & COCKROACHES

Some people are allergic to the droppings from these pests.



INDOOR MOLD

This can be a trigger if your home has high moisture.



WOOD SMOKE, STRONG ODORS, & SPRAYS

These can reduce air quality and irritate airways.



EXERCISE OR SPORTS

This can trigger an asthma attack for some people.



OTHER TRIGGERS

Cold air, changes in weather, and strong emotions can set off an asthma attack.

- WHAT YOU CAN DO TO REDUCE YOUR TRIGGERS
- Do not allow smoking or vaping in your home or car, or around you.
- Talk to your health care provider about quitting or call: 1-800-QUIT-NOW (800-784-8669) to connect to a Quitline coach. Free tools are available at www.quitplan.com
- Wash your hands often.
- Don't touch your eyes, nose, or mouth.
- Get a flu shot every year, preferably in the fall.
- Avoid contact with people who have colds.
- Get special dust mite-proof covers for your pillows and mattresses.
- Wash sheets and blankets in hot water every week.
- Wash stuffed animals frequently and dry completely.
- Use a high quality furnace filter.
- Avoid having carpeting, if you can, or vacuum weekly with a HEPA vacuum cleaner.
- Try to keep your windows closed during pollen season and when mold counts are high.
- Plan to do indoor activities on high pollen days.
- Ask your health care provider about taking medicine during allergy season.
- Follow daily air quality forecasts at www.pca.state.mn.us/air/current-air-quality
- Keep pets with fur or feathers out of your home.
- If you can't keep a pet outdoors, then keep the pet out of your bedroom, and keep the bedroom door closed.
- Keep pets off upholstered furniture and away from stuffed toys.
- Wash your hands after petting or playing with pets.
- Seal openings, cracks, and crevices.
- Do not leave food or garbage uncovered.
- Clean up spills and food crumbs right away.
- Store food in airtight containers and cooking grease in the refrigerator.
- Keep food out of the bedroom.
- Fix leaking faucets, pipes, or other sources of water within 24 hours.
- Clean moldy surfaces with hot water and soap.
- Use bath and kitchen exhaust fans.
- Use a dehumidifier in the basement if it is damp and smelly.
- · Avoid inhaling smoke from burning wood.
- Avoid strong odors and sprays, like perfume, powders, hair spray, paints, incense, cleaning products, candles, and new carpeting.
- Take your rescue medicine before sports or exercise to prevent symptoms if directed by your health care provider.
- Warm up/cool down for 5-10 minutes before and after sports or exercise.
- Cover your nose and mouth with a scarf when it gets cold.
- Sometimes laughing or crying can be a trigger.
- Some medicines and foods can trigger asthma.

